



US006616223B1

(12) **United States Patent**
Lin

(10) **Patent No.:** **US 6,616,223 B1**
(45) **Date of Patent:** **Sep. 9, 2003**

(54) **FOLDABLE CHAIR**

(75) Inventor: **Wen-Shen Lin**, Kaohsiung (TW)

(73) Assignee: **Maxchief Investments Ltd.**, Hong Kong (HK)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **10/093,556**

(22) Filed: **Mar. 7, 2002**

(51) **Int. Cl.**⁷ **A47C 4/00**

(52) **U.S. Cl.** **297/55; 297/58; 297/56; 297/16.1**

(58) **Field of Search** **297/55, 58, 54, 297/452.18, 451.11, 452.2, 452.21, 23.**

4,526,423 A * 7/1985 Meinershagen et al. 297/452.18
5,655,815 A * 8/1997 Lohmeyer 297/452.2
5,735,572 A * 4/1998 Clark et al. 297/216.13
5,868,469 A * 2/1999 Ming 297/338
6,250,718 B1 * 6/2001 Newhouse et al. 297/452.1

* cited by examiner


Primary Examiner—Peter M. Cuomo

Assistant Examiner—Stephanie Harris

(74) *Attorney, Agent, or Firm*—Alan D. Kamrath; Rider Bennett, LLP

(57) **ABSTRACT**

A foldable chair has a plastics seat pad, a plastics backrest, and a chair frame having a pair of metal front leg tubes and a pair of metal rear leg tubes. Each metal front leg tube and the corresponding metal rear leg tube are connected together.






FIG. 2




FIG. 3




FIG. 4






FIG. 5





1
FOLDABLE CHAIR

BACKGROUND OF THE INVENTION

The present invention relates to a foldable chair. More particularly, the present invention relates to a foldable chair which has a light weight.

A conventional foldable chair is made of metal. However, the metal chair is very heavy. Another conventional foldable chair is made of plastics. However, the plastics chair is not durable.

SUMMARY OF THE INVENTION

An object of the present invention is to provide a foldable chair which has a plastics seat pad and a plastics backrest to reduce a weight of the foldable chair.

Another object of the present invention is to provide a foldable chair which is durable after a long period of usage.

Accordingly, a foldable chair comprises a plastics seat pad, a plastics backrest, and a chair frame having a pair of metal front leg tubes and a pair of metal rear leg tubes. Each of the metal front leg tubes and the corresponding metal rear leg tube are connected together. The plastics backrest has two lateral posts inserted in the metal front leg tubes. A support bar has two positioning ends connected to the metal front leg tubes. Two U-shaped frames are disposed on two positioning ends of the support bar. Each of the U-shaped frames is connected to the corresponding metal front leg

2

1 having a pair of metal front leg tubes **11** and a pair of metal rear leg tubes **12**.

Each of the metal front leg tubes **11** and the corresponding metal rear leg tube **12** are connected together.

The plastics backrest **3** has two lateral posts **31** inserted in the metal front leg tubes **11**.

A support bar **5** has two positioning ends **51** connected to the metal front leg tubes **11**.

Two U-shaped frames **4** are disposed on two positioning ends **51** of the support bar **5**.

Each of the U-shaped frames **4** is connected to the corresponding metal front leg tube **11** and the corresponding metal rear leg tube **12**.

A plurality of rivets **7** fasten each of the U-shaped frames

4 on the corresponding metal rear leg tube **12** and the support bar **5** on the corresponding metal front leg tube **11**.

Each of the metal front leg tubes **11** has a blocking bar **13** to block the plastics backrest **3**.

A plurality of fastening members **6** fasten the support bar **5** and the plastics seat pad **2** together and the blocking bar **13** and the plastics backrest **3** together.

The plastics seat pad **2** has a pair of lateral recesses **21** to receive the U-shaped frames **4**.